



DESCALING



INTACT

Smart Spider


Smart Cutter



FRAGILE

Smart Spider


Smart Cutter



DAMAGED

Smart Spider

Smart Cutter




ROOTS

Smart Crusher

Twister+


Smart Spider with Drill Head



METAL

Twister Metal Grinder*


Smart Cutter



FULL

Smart Crusher

Smart Cutter




PARTIAL

Smart Crusher

Smart Cutter


Smart Crusher with Drill Head



"RHUBARB"

Smart Crusher


Smart Cutter



PARTIAL

Twister Concrete Remover with Steering Axle

Smart Cutter



FULL

Twister Concrete Remover

Smart Cutter

Maxi Miller Power+

Shaft Diameter:

18 mm (3/4")

Range:

18m (59 ft)

Additional Extension**:

11m (36 ft)

Pipe Diameter Range for Tools:

DN150 (6") to DN300 (12")

Power Supply:

400/480 Volt, 3-Phase,

16 amp

**Shaft extension sold separately.

Maxi Miller Power+

Available Tools

Size Range

Smart Spider

DN150 (6") to DN225 (9")

Smart Crusher

DN70 (3") to DN225 (9")

Twister Concrete Remover

DN100 (4") to DN225 (9")

Smart Cutter

DN100 (4") to DN300 (12")

Twister+

DN150 (6") to DN300 (12")

Twister Metal Grinder*

DN100 (4")

*possible with 18mm/12mm (3/4"/1/2") adaptor


SPECIAL

COLLAPSED LINER


CONCRETE

Clay Pipes


DESCALING




INTACT




Original Premium




Cyclone Premium




Smart Spider




Smart Cutter




FRAGILE




Smart Spider




Smart Cutter



DAMAGED



Smart Spider




Smart Cutter


SPECIAL




ROOTS




Original Premium




Cyclone Premium




Smart Crusher




Twister+




Smart Spider with Drill Head



METAL




Twister Metal Grinder*




Smart Cutter


COLLAPSED LINER




FULL




Smart Crusher




Smart Cutter




PARTIAL




Smart Crusher




Smart Cutter




Twister+



"RHUBARB"




Smart Crusher




Smart Cutter


CONCRETE




PARTIAL




Twister Concrete Remover




Cyclone Premium Chain




Smart Cutter




FULL



Twister Concrete Remover



Cyclone Premium Chain



Smart Cutter

Maxi Miller Power+

Shaft Diameter:

18 mm (3/4")

Range:

18 m (59 ft)

Additional Extension**:

11 m (36 ft)

Pipe Diameter Range for Tools:

DN100 (4") to DN300 (12")

Power Supply:

400/480 Volt, 3-Phase,

16 amp

**Shaft extension sold separately.

Maxi Miller Power+

Available Tools

Tornado Original Chain

Tornado Cyclone Chain

Original Premium Chain

Cyclone Premium Chain

Smart Spider

Smart Crusher

Twister Concrete Remover

Smart Cutter

Twister+

Twister Metal Grinder*

*possible with 18/12mm (3/4"/1/2") adaptor

Size Range

DN100 (4") to DN300 (12")

DN150 (6") to DN300 (12")

DN100 (4") to DN300 (12")

DN100 (4") to DN300 (12")

DN150 (6") to DN225 (9")


DN70 (3") to DN225 (9")

DN100 (4") to DN225 (9")


DN100(4") to DN300 (12")

DN150 (6") to DN300 (12")


DN100 (4")




INTACT




Premium or Tornado Original




Premium or Tornado Cyclone




Smart Spider




Smart Sweeper with Drill Head




Smart Cutter




FRAGILE




Premium Cyclone Chain




Smart Spider




Smart Cutter




DAMAGED




Smart Spider




Smart Cutter




ROOTS




Premium or Tornado Original




Premium or Tornado Cyclone




Smart Crusher




Smart Sweeper with Drill Head




Twister+




METAL




Twister Metal Grinder*




Smart Cutter




FULL




Smart Crusher




Smart Sweeper with Crusher Head




Premium Cyclone Chain




Smart Cutter




PARTIAL




Smart Crusher




Smart Sweeper with Drill Head




Premium Cyclone Chain




Smart Cutter




Twister+




"RHUBARB"




Smart Crusher




Smart Sweeper with Crusher Head




Premium Cyclone Chain




Smart Cutter




PARTIAL




Twister Concrete Remover




Premium Cyclone Chain




Smart Cutter




FULL



Twister Concrete Remover



Premium Cyclone Chain



Smart Cutter

Maxi Miller Power+

Available Tools

Tornado Original Chain
Tornado Cyclone Chain

Size Range

DN100 (4") to DN300 (12")
DN150 (6") to DN300 (12")

Maxi Miller Power+

Shaft Diameter:

18mm (3/4")

Range: 18m (59ft)

Additional Extension**:

11m (36ft)

Pipe Diameter Range
for Tools:

DN100 (4") to DN300 (12")

Power Supply:

400/480Volt, 3-Phase,
16 amp

**Shaft extension sold separately.

*Twister Metal Grinder: required
18/12mm (3/4"/1/2") adaptor

Maxi Miller Power+

Available Tools

Premium Original Chain
Premium Cyclone Chain
Smart Spider
Smart Crusher
Smart Sweeper
Twister Concrete Remover
Smart Cutter
Twister+
Twister Metal Grinder*

Size Range

DN100 (4") to DN300 (12")
DN100 (4") to DN300 (12")
DN150 (6") to DN225 (9")
DN70 (3") to DN225 (9")
DN150 (6") to DN225 (9")
DN100 (4") to DN225 (9")
DN100(4") to DN300 (12")
DN150 (6") to DN300 (12")
DN100 (4")